

NISSAN PATHFINDER
E-BROCHURE



With two core grades, two transmissions, seven body colours and a wide range of accessories to choose from, the Pathfinder gives you ample opportunity to SHIFT_ your personal preferences and reflect them in the Pathfinder you create.



GRADES

ACENTA

STANDARD FEATURES

SAFETY AND SECURITY

- ALL MODE 4x4®
- Electronic Stability Program + (ESP+)
- ABS with EBD and Brake Assist
- Driver, passenger and front side airbags
- Curtain airbags
- Active front seat head restraints
- 2nd Row ISOFIX child seat anchoring points
- NATS immobiliser
- Thatcham Category 1 ultrasonic and perimeter alarm
- Load-area cover

EXTERIOR

- 17" Alloy wheels (x4)
- Rear privacy glass
- Roof rails
- Door mirrors with indicator and puddle lamp
- Electric door mirrors
- Front fog lamps
- Chrome grille
- Flat wiper blades

COMFORT AND CONVENIENCE

- 3 Rows / 7 seats
- Dual-zone climate-control air conditioning
- Front and rear power windows
- Fold down front passenger seat
- Remote central door locking
- 3 12v Power sockets
- Carpeted cargo area
- Opening glass on rear hatch
- Illuminated footwell
- Aluminium entry guards on front door sills and tailgate
- Heated door mirrors
- Driver's seat lumbar and height adjustment
- Trip computer
- Leather steering wheel, gear knob and handbrake cover
- Fold down centre armrest
- 6 Cup holders
- Sunglasses holder
- UV-cut glass
- Fine vision combimeter

- Double decker centre console with lid
- Uphill Start Support
- Auto rain-sensing wipers
- Auto headlamps
- Auto dim rear view mirror

AUDIO

- 6 CD Radio with Aux-in
- 6 Speakers
- Steering wheel audio controls
- Window integrated antenna
- Integrated Bluetooth mobile phone connection

TEKNA

FEATURES ADDITIONAL TO ACENTA

SAFETY AND SECURITY

- Xenon headlamps with pop up washers

EXTERIOR

- 18" Alloy wheels (x4)
- Side steps

COMFORT AND CONVENIENCE

- Leather upholstery
- 8-Way Power adjust driver seat
- 4-Way Power adjust front passenger seat (not fold flat)
- Heated front seats
- Memory for driver's seat and mirror positions
- Cruise control with speed limiter
- Downhill Drive Support (auto only)
- Rear heater and air conditioning controls
- Intelligent key
- Electric tilt and slide sunroof
- Centre console with wood finish

- Nissan Connect Premium with
 - HDD Satellite Navigation
 - HDD music server (in lieu of 6CD changer)
 - USB iPod connectivity
 - DVD movie playback (whilst vehicle is stationary)
 - Rear Parking camera
- Auto dipping door mirrors
- Illuminated vanity mirror

Pathfinder

		YD25 ACENTA/TEKNA	YD25 TEKNA
MODEL			
DRIVE TYPE		ALL MODE 4x4*	
TRANSMISSION		Manual Transmission	Automatic Transmission
ENGINE			
Engine code		YD25 Kai3	YD25 Kai3
No. of cylinders, configuration		4, in line	4, in line
Valves per cylinder		4, DOHC	
Air intake system		Turbo Intercooler	Turbo Intercooler
Control system		ECM	
Cylinder block and head		Iron/Al	Iron/Al
Engine capacity	cc	2488	2488
Bore x Stroke	mm	89x100	89x100
Compression ratio		15 : 01	15 : 01
Camshaft drive		Chain driven	
Valve actuation		Graded lifter	
Valve size (intake/exhaust)	mm	28,55 / 25,95	28,55 / 25,95
Valve timing (intake/exhaust)	o TDC	2/210/226/-2	2/210/226/-2
Electric throttle		Yes	Yes
Combustion principle		Compression ignition	Compression ignition
Combustion chamber shape		Toroidal	Toroidal
Bearings		5	5
Fuel pump		Denso HP-3	Denso HP-3
Fuel type		Diesel/ Biodiesel (B10 max)	Diesel/ Biodiesel (B10 max)
Fuel supply		Direct injection + Common Rail	Direct injection + Common Rail
Emission control system		EGR + Catalyst	EGR + Catalyst
Cold start		Electronic Glow Plug Control Unit	
Oil capacity (min/max)	lit	5.3/6.7	5.3/6.7
Oil pan		Al / Steel	
Maximum engine power ¹⁾	kW(PS)/rpm	140(190)/4000	140(190)/4000
Maximum engine power ¹⁾	bhp	187.7	187.7
Maximum torque	Nm/rpm	450/2000	450/2000
Emission class		Euro 4	

		Manual Transmisson ACENTA/TEKNA	Automatic Transmission TEKNA
TRANSMISSION			
Clutch type		Dry Plate Mech.	Torque Converter
Transmission type		6 Speed M/T	5 Speed A/T
Gear ratio	1st	4.692	3.827
	2nd	2.705	2.368
	3rd	1.747	1.520
	4th	1.291	1.000
	5th	1.000	0.834
	6th	0.827	-
	reverse	4.260	2.613
Final drive		3.692	3.538
Transfer ratio (in 4Lo mode)		2.625	
Driven wheels		4WD (Part Time)	
PERFORMANCE			
Maximum speed (Vmax)	mph (km/h)	115 (186)	115 (186)
Acceleration 0-62 mph (0-100 km/h)	sec	11.0	10.7
Aerodynamics	Cd	0.38	
Stopping distance (AMS) Cold/Hot (for 17" brake system)	m	42.5/45	
FUEL CONSUMPTION³⁾			
Fuel tank capacity	ltrs	80	
Urban cycle	mpg (l/100 km)	26.2 (10.8)	23.5 (12.0)
Extra urban	mpg (l/100 km)	39.2 (7.2)	38.7 (7.3)
Combined	mpg (l/100 km)	33.2 (8.5)	31.4 (9.0)
CO ₂ Mass emission (Combined)	g/km	224	238
NOISE			
Driving noise level	(dB(A))	74	74
Standing noise level	(dB(A))	79	79
EXTERIOR DIMENSIONS			
Overall length	mm	4813	
Overall width (excl. mirrors)	mm	1848	
Overall height	mm	1785	
Wheelbase	mm	2853	
Overhang	Front	mm	866
	Rear	mm	1094
Track	Front	mm	1570
	Rear	mm	1570

Pathfinder

		YD25 ACENTA/TEKNA	YD25 TEKNA
DOORS AND SEATING CAPACITY			
Number of seats	1 st Row		2
	2 nd Row		3
	3 rd Row		2
Door length	Front/Rear	mm	1118.5/1104.6
Door opening angle	Front/Rear	o	65
CARGO SPACE			
Lug capacity (VDA) behind 3 rd row	litres		190
Lug capacity (VDA) behind 2 nd row	litres		515
Lug capacity (VDA) behind 1 st seat	litres		2091
Maximum cargo height (up to p'shelf)	mm		332
Maximum width (between Wheelarches)	mm		1128
Loadspace length to back of rear seat (at floor)	mm		446
Loadspace length to back of front seat (at floor)	mm		1874
INTERIOR PACKAGING			
Effective interior length	mm		2524.4
Front head room	mm		110.3
Second row head room	mm		98.9
Third row head room	mm		31.8
Front knee room	mm		632.5
Second row knee room	mm		613
Third row knee room	mm		473.6
Front shoulder room	mm		1480
Second row shoulder room	mm		1483.9
Third row shoulder room	mm		1460
Front HIP room	mm		1379.2
Second row HIP room	mm		1384.3
Third row HIP room	mm		1127.8
WEIGHTS			
Kerb weight	Min/Max	kg	2090/2210
Gross vehicle weight (GVW)		kg	2880
Payload ²⁾	Min/Max	kg	670/790
Permissible axle weight front		kg	1305
Permissible axle weight rear		kg	1710
Max. trailer weight braked @ 12%		kg	3000
Max. trailer weight unbraked		kg	750
Permissible vertical force on hitch ball		kg	120
Max. roof load		kg	100

		Manual Transmisson ACENTA/TEKNA	Automatic Transmission TEKNA
BRAKES SYSTEM			
Brakes System		2 circuits; Front & Rear distribution, Power assisted, ABS, EDB, BA (ESP with HSA. FBS & HDC)	
Size	Front	Vented Disc 320 x 28	
	Rear	Drum in Vented Disc 308 x 18	
STEERING			
Steering system		Rack & Pinion Power Assisted	
Turning circle, wall to wall – Actual		m	12.4
Turning circle, kerb to kerb – Actual		m	11.9
Overall steering ratio			20 : 1
Linear steering ratio		mm/rev	47.4
Lock to lock			3.6
SUSPENSION			
Front suspension		Independent, Double Wishbone with coil over shock	
Rear suspension		Independent, multilink with coil spring	
WHEELS AND TYRES			
Alloy wheels size (Std)	inches	17 x 7JJ	18 x 7JJ
Tyre size (Std)		255/65 R17	255/60 R18
OFF ROAD CAPABILITY			
Approach angle		o	30
Departure angle		o	26
Ramp angle		o	24
Maximum climbable gradient		o	39
Minimum ground clearance (between axles)		mm	228
Maximum wading depth		mm	450

1) In accordance with EC 80/1269 directive. 2) Figures in accordance with EC directive. Kerb weight condition is without driver and including coolant, oils, fuel, spare wheel and tools. Payload will be reduced depending on the options and/or accessories installed. 3) In accordance with EC 1999/100 directive. (Optional equipment, maintenance, driving technique, road and weather conditions may affect the official results). Figures shown are subject to change.

NEW 2010 PATHFINDER PRICE LIST



Doorplan	Grade	Engine	Transmission	Basic Price	VAT	Total Retail Price	On The Road Price
5 door	ACENTA	2.5 dCi 190	6 manual	23,736.17	4,153.83	27,890	28,495
	TEKNA	2.5 dCi 190	6 manual	26,374.47	4,615.53	30,990	31,595
			5 auto	27,480.85	4,809.15	32,290	33,095

Basic and Total Retail includes delivery to the Dealership and number plates. On the Road Price includes 12 months Government Vehicle Excise Duty (determined by CO2 emissions figure and fuel type) and £55 Government First Registration Fee.

NEW 2010 PATHFINDER OPTIONS

	ACENTA	TEKNA	Basic	VAT	Total
Metallic or pearlescent paint	○	○	404.26	70.74	475
Rear park sensors	□		304.68	53.32	358
18" Sendai alloy wheels (x4)***	□	□	971.91	170.08	1142
Luxury velour textile mats (5 piece set)	□	□	51.06	8.94	60
Chrome side bars with steps	□		558.30	97.70	656
Rear styling corner bar set - stainless steel	□	□	279.15	48.85	328
Roof spoiler*	□	□	291.06	50.94	342
Chrome mirror caps (prices from)		□	159.15	27.85	187
Mudguards - front and rear	□	□	154.04	26.96	181
Soft trunkliner	□	□	81.70	14.30	96
Cross bars for roof railings	□	□	170.21	29.79	200
Towbar and electrics (prices from)**	□	□	284.25	49.75	334
Roof boxes (prices from)	□	□	144.68	25.32	170

Optional - ○ Standard - ● Optional Dealer Fit - □

* Painting of roof spoiler required at additional cost

** Price quoted for flanged towbar with single electrics

*** Price excludes tyres

Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices.



NEW Pathfinder



NEW Navara

We see SHIFT_ as an invitation. To challenge whatever feels too familiar. To open your mind to the unfamiliar. To ask the questions no-one else is asking. And to find answers no-one else can. At Nissan, we do this every day. And it shapes everything we do. The result is a line-up of vehicles that represents a pure, uncompromising shift from the ordinary.

Visit our websites at:

www.nissan.co.uk

www.nissan-pathfinder.co.uk

Dealer stamp:



SHIFT_ the way you move

Every effort has been made to ensure that the content of this publication is correct at the time of going to press (April 2010). In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. All rights reserved. Reproduction in whole or part of this brochure without the written permission of Nissan Europe is forbidden.